

Textile water storage &

Underground irrigation systems



Catalog 2022

CITY TREES
FRUIT TREES
VITICULTURE
LAWNS

ATHLETIC FIELDS
SOCCER FIELDS
GOLF COURSES
SLOPES

GREEN ROOFS
TROUGH PLANTER
RAISED PLANTING BEDS
FILTER BASINS


OVERVIEW

What is LITE-SOIL?	Page 4 - 5
PRODUCTS	
LITE-STRIPS	Page 6
LITE- NET	Page 6
BLUELITE-NET	Page 7
BLUELITE-COVER .	Page 8
BLUELITE-RING	Page 8
BLUELITE-TUBE	Page 8
BLUELITE-AGRI	Page 8
LITE-ROOTPROTEC	T
SALFIX-MAT	Page 9
LITE-CUBES	Page 9
APPLICATIONS	
	Page 10 - 11
	vns Page 12 - 13
	Page 14 - 15
Green roofs	Page 16
O	Page 17
9	Page 18
Special applications	s Page 19
	Page 20
Technical informati	on

What is LITE-SOIL?

Our many years of know-how in geotextiles performs as the basis for our patented LITE-**SOIL** products:

- As nonwoven STRIPS (LITE-STRIPS) mixed down into the soil store water directly in the root area. 10 l of LITE-STRIPS can store up to 9 l of water.
- As a nonwoven net (LITE-NET) it effectively transports water and air to the roots.
- In comparison to the conventional above-ground irrigation systems the underground irrigation system (BLUELITE-NET) saves up to 70% of water.
- Other special products such as nonwoven cubes for aerification, biodegradable root protection bandages for building sites, or salt filter mats.





LITE-**SOIL** is an innovative, sustainable water- and cost-saving solution for the air and water supply of your plants.



ADVANTAGES

- Water storage for the root area
- Up to 70% of water saving
- Optimal water storage
- > High water conductivity
- >> High aeration effect
- » Better greening effect
- Cost-effective

- Easy installation at any depth
- Three-dimensional laying
- » High flexibility
- » Low weight
- Erosion protection
- » Reduced soil compaction
- Less felting

Our 3 materials:



BIO1

Biologically degraded after approx. 1-2 years, made of 100% cellulose fibers. Ideal for annual plants (e.g., flowers, tomatoes

and other vegetable plants) or as a support in the initial growing phase, e.g. for turf or slope greening.



BIO5

Biodegraded / composted after approx. 5-10 years made of 30% cellulose fibers + 70% PLA (Polylactide). Ideal for all types of plants including perennial plants and repeatable usage with annual plants.



biodegradable or durable



PP

Durable and sustainable made of 100% polypropylene. Ideal for all types of plants, especially for perennials because the products made of PP can be used again and again. Use for under-ground irrigation systems.

LITE-STRIPS

Water storage strips

LITE-STRIPS are water retaining nonwovens in strip form for mixing into the soil close to the roots.

They serve as substrate improvement for loosening compacted soil, for aerification or to support initial growth. Due to the elongated shape of the nonwoven strips, the substrate is more permeable and stable.

In addition, the water storage capacity is significantly increased. Plants can access the stored water in the nonwoven very easily and effectively when needed.

1 kg of LITE-**STRIPS** stores up to 10 l of water.

Applications

- Trees & bushes
- Lawns & lawn grids
- » Slopes
- Signal of the control of the cont
- Athletic fields
- » Beds, raised planting beds
- » Planting boxes
- Additive for substrates





IO1 B



PP

Size LITE-STRIPS

70 x 12 x 6 mm

Order sizes

BOX 250 I

BIG BAG 1 m³

Recommended quantity:

Trees & bushes 10 - 20 liters per pit Lawns 0.5 - 1.0 liters per m² Roof 1 - 2 liters per m²

Raised planting beds & troughs 5-10% of volume

LITE-NET

Water distribution net

The LITE-**NET** non-woven nets with a high water- and air-conducting performance supply plant roots similar to veins.

The nets are simply laid out on the ground, pulled apart to 3 to 5 times in the width and covered with soil to the depth of the roots.

They can also be raised to the surface in places (e.g., root balls), where they allow direct absorbtion of air and water, then distribute it over a large area in the root level.

The flexible and easy-to-install water distribution and storage net can be used close to the roots and efficiently at any level, as roots can easily grow through the open net structure and dock all around.

Applications

- Trees and slopes
- Lawns, lawn grid
- » Slopes
- » Green roofs
- Sports fields
- » Filter basins
- » Beds





BIO1

BIO5

PP







5.2 x 16.3 m

Sizes

1,5 x 0,8 m 90 pcs. LITE-**NET** Tree **XL** 45 pcs. 1,75 x 1,6 m LITE-**NET** Slope 3,5 x 14,3 m 50 m² (Roll C14 = 5,2 x 14,3 m 75 m² meshes Ø 9 cm) 28 m² 1.75 x 16.3 m LITE-**NET** Standard (Roll C20 = 57 m² 3,5 x 16,3 m meshes Ø 13 cm)

85 m²

BLUELITE-NET

The active underground irrigation

The **BLUE**LITE-**NET** system is a completely novel and technically improved solution for water-saving subsurface irrigation for e.g. trees or sports fields.

The combination consists of a nonwoven covered drip irrigation tube A that is placed directly on a water distribution net B. Substrate is applied over it at root depth.

The water from the flexible irrigation tube is evenly released via the non-woven covering c into the LITE-**NET** below, where it is distributed over a large area in the root zone.

In the process the water and earth contact area is mulitiplied a thousandfold. The robust nonwoven covering protects the pipe openings against roots growing inside and blockage by soil fines.

The underground irrigation reduces evaporation, felting, waterlogging and also soil surface treatment costs. Irrigation is possible at any time and continuously, even if the lawn is being used or mowed. Up to 70% water is saved in comparison to spray irrigation.


Due to the open and flexible shape of the net, roots can grow through and dock all around the thick nonwoven net.

This means that 100 % of the water stored in the capillary net is available to the plants. Since the system can be installed at any depth, plants can be optimally supplied even in the initial growth phase or in mixed crops optimally supplied with water.

Applications

- Trees
- Slopes
- » Green roofs
- Athletic fields
- » Lawns
- » Agriculture







Tube choice		
BLUELITE-COVER	25 m	
BLUELITE-TUBE	100 m	
BLUELITE-AGRI	100 m	
BLUELITE-RING	10 pcs. Ø 50 cm	



	LITE-N	LITE-NET PP	
	28 m²	1,75 x 16,3 m	6
Roll C20	57 m ²	3,5 x 16,3 m	6/8
	85 m²	5,2 x 16,3 m	6/8

Individual parts explained in more detail on the following page



BLUELITE-COVER

The nonwoven covering for the protection of drip irrigation tubes

Part of the **BLUE**LITE-**NET** system

The **BLUE**LITE-**COVER** serves as a protection for the irrigation tube. In addition the robust nonwoven covering distributes the water linearly along the tube thereby increasing the water and soil contact area a thousandfold and protecting the tube openings against roots growing inside and also against clogging by soil fine parts.

A wide variety of other irrigation tubes can be inserted into this nonwoven covering.





Part of the **BLUE**LITE-**NET** system for trees

For new tree plantings the **BLUE**LITE-**RING** (a nonwoven covered irrigation tube) is combined with a LITE-**NET** growing net in the subsurface layer. Thus, water is being effectively and evenly transferred to the roots. For the existing trees the **BLUE**LITE-**RING** is routed around the trunk at a depth of approx. 5-10 cm and connected with a spur line.

Other advantages: No clogging of irrigation holes by roots or fine parts. No vandalism or UV damage. The escaping water is being distributed by capillary action in the nonwoven covering and irrigates the surrounding area evenly over a very large contact area.





BLUELITE-**TUBE**

Pipe for drip irrigation with protective nonwoven covering

Part of the **BLUE**LITE-**NET** system

The combination consists of a protective nonwoven covering (**BLUE**LITE-**COVER**) and a 16 mm drip irrigation tube inside.

BLUELITE-AGRI

Pipe for drip irrigation with protective nonwoven covering

Part of the BLUE LITE-NET system

Our cost-effective underground irrigation system **BLUE**LITE-**AGRI** consists of a nonwoven protected irrigation tube, which is usually laid in the ground without a distribution net. It was specially designed for the agricultural sector, such as vineyards, fields, plantations of vegetable and fruit.









LITE-ROOTPROTECT

The biodegradable root protection


Most of the damage on trees occurs at building sites. Although the protection of trees is prescribed by numerous laws and standards, roots are still frequently torn off and damaged by construction vehicles, resulting in enormous consequential damage.

By using the new root bandage LITE-ROOTPROTECT the exposed tree roots can not only be protected from sun and damage but also be kept permanently moist.

The 80/120 cm wide LITE-ROOTPROTECT M/L can be optimally used as a root barrier. It holds water many times better than conventional nonwovens for sites or jute mats.

Together with our nonwoven covered drip irrigation tube on the top edge moisturizing the soil can also be automatic.

As the 4 mm thick LITE-**ROOTPROTECT** is 100% biodegradable, it does not have to be removed after completion of construction and can be covered with soil.







BOX	8 pcs. Roll	0,1 x 8,0 m
	Roll M	0,8 x 20 m
	Roll L	1,2 x 20 m

SALFIX-MAT

The filter mat protector against road salt

SALFIX-**MAT** is being simply put around the tree trunk base - the water-permeable filter mat binds road salt for many years. This prevents tree damage and compaction of the soil.

Trees survive the winter sustainably and new plantings are avoided. **SAL**FIX-**MAT** is processed by ion-exchange packed between two non-wovens serving as a filter.

- + Reduction of tree damage and soil compaction
- + Easy application
- + Cost savings by avoiding replanting





SALFIX-MAT on request

LITE-CUBES

For hydroseeding, green roofs, growing pots and aerification

As a small-cube special form, LITE-CUBES is available as an aggregate for substrates, e.g. for spray greening in **Bio1**, for green roofs in **PP** and for seed pots in **Bio1**.

For aerification, LITE-CUBES **Bio5** are swept into the aerification holes together with sand. This novel variant offers many years of benefit.





Size LITE-CUBE

12 x 12 x 6 mm

LITE-NET Air & Water for healthy trees



Serving as a **vegetation net** 1, the LITE-**NET** is wrapped around the root ball. It absorbs water into its voluminous structure on the surface and conducts it efficiently and extensively to the roots like veins. When the roots need the stored water, air is sucked in from the surface. Thus, they simply & inexpensively replace the previously used tube systems without buckling, clogging and without chimney effect.

Vegetation nets are also the ideal underground system supplements to watering bags and pouring edges.

They significantly reduce water consumption by transporting water directly to the tree roots without evaporation. Watering intervals are significantly extended.


A large vegetation net inserted horizontally directly under the root ball conducts air & water like a **distribution net** 2 using capillary action into the width and serves as additional storage. This improves root growth in depth and increases the stability of the tree. For new plantings we recommend a combination of a vegetation net with a distribution net.











Even the roots of already grown trees are permanently supplied with air & water in the form of large-scale tree pit nets 3.

LITE-NET for trees is available in 3 materials, either permanent (PP) or biodegradable (Bio1 and Bio5). The nets are pre-made for standard sizes (LITE-NET tree in size L or XL) or in rolls.





Sizes			
LITE- NET Tree	L	90 pcs.	1,5 x 0,8 m
Life NET free	XL	45 pcs.	1,75 x 1,6 m
Roll C14 (meshes Ø 9 cm)		50 m ²	3,5 x 14,3 m
		75 m²	5,2 x 14,3 m
		28 m²	1,75 x 16,3 m
Roll C20 (meshes Ø 13 cm)		57 m²	3,5 x 16,3 m
		85 m²	5,2 x 16,3 m

LITE-STRIPS Substrate improvement with water reservoirs close to the roots

It is recommended to mix approx. 10-20 I LITE-**STRIPS** into the substrate close to the roots per each replanting measure.

LITE-**STRIPS** consist of up to 90% pores in which water is stored on site. They increase the water storage capacity and the permeability of the substrate.








BLUELITE-NET Maintenance-free watering system

The novel **BLUE**LITE-**NET** system is perfectly suited for automatic and costsaving watering of trees. For this purpose, a nonwoven protected irrigation pipe (**BLUE**LITE-**RING**) is usually routed underground around the trunk and connected to a spur line.

The stable and voluminous nonwoven covering protects the irrigation pipe against clogging by fine particles or roots growing inside. In addition, the UV-stabilized nonwoven cover mechanically reinforces against vandalism and evenly distributes the irrigation water.

For new plantings the irrigation ring is installed in combination with a **vegetation net**, for existing trees without any.







1

10 pcs. Ø 50 cm

BLUELITE-RING

	LITE -N	IET PP	thickness mm
	28 m²	1,75 x 16,3 m	6
Roll C20	57 m²	3,5 x 16,3 m	6/8
	85 m²	5,2 x 16,3 m	6/8
Vegetation net in different variants			

Individual parts explained in more detail on page 7

APPLICATIONS

ATHLETIC FIELDS AND LAWNS



Water storage hybrid turf, subsurface irrigation

For athletic fields and lawns, LITE-STRIPS can be used as substrate enhancement and water storage near the root, the large-area LITE-NET for storage and distribution, and the water-saving underground irrigation system **BLUE**LITE-NET.

LITE-NET




LITE-**NET**: The large-area nets for air and water distribution made of tension-resistant storage nonwovens (up to 90% pore content) are optimally installed in new construction or retrofitted in smaller areas such as gate rooms at root depth. Due to the open shape of the mesh, the load is transferred to the subsoil via the soil structure in the spaces between

the meshes. There can also be no fineparticle sealing and sliding layer as with full-area geotextiles. Roots can easily grow through the 13 cm mesh openings, anchor themselves to the mesh all around and, if necessary, use all the water stored in the mesh.














LITE-STRIPS

LITE-**STRIPS**: Reduce water consumption and rapidly transfer air and water from the surface to the roots. This creates a type of permanent aerification with reduced soil compaction and surface felting.

LITE-**STRIPS** do not only improve the stability of the base layer due to their thread structure. They can also rapidly absorb water in their pore structure, thus reducing harmful excess of pore water pressure under load.

In addition, the base course becomes more permeable and the water storage capacity increases significantly.

LITE-**STRIPS** can be mixed into the substrate at root depth both in new construction and subsequently (e.g. by means of slot drainage). Approx. 0.5 - 1.0 l of LITE-**STRIPS** per m² are recommended. To improve the vegetation of turf, approx. 0.5 l/ m² is required in **Bio1**. LITE-**STRIPS** are available in 3 material variants: biodegradable (**Bio1** and **Bio5**) or permanent in **PP**.










BLUELITE-NET

BLUELITE-**NET**: The LITE-**NET** nonwoven net can be combined with nonwoven protected drip tube laid directly on top of it to form a technically improved, cost-effective and water-saving underground irrigation system. The robust nonwoven covering of the drip tubes, which is laid at root depth at a distance of approx. 60 cm, distributes the water, prevents roots from growing inside and fine-part clogging and increases the contact area between soil and water a thousandfold. Sports fields can also be played on or mowed during irrigation. For details see page 7.









BLUELITE-COVER 25 m

BLUELITE-TUBE 100 m

+

	LITE-N	LITE-NET PP		
	28 m²	1,75 x 16,3 m	6	
Roll C20	57 m²	3,5 x 16,3 m	6/8	
	85 m²	5,2 x 16,3 m	6/8	

LITE-**NET**



LITE-NET to support initial vegetation (picture taken from above)


The LITE-**NET** is ideal for slope greening and as erosion protection. For the initial growth phase they are laid above ground, for permanent use they are laid underground.


For start-up revegetation, the 100% biodegradable LITE-**NET** variants **Bio1** or **Bio5** are simply laid out on the slope surface, fastened and ideally covered by hydroseeding. Since the large-area non-woven nets have a very high-water storage capacity - 6 times higher than coir mats - plants are optimally supplied with collected and stored rainwater. According to Boku University of Natural Resources and Life Sciences studies in Vienna, this also improves the greening effect by 50%.

The extremely flexible nonwoven nets adapt perfectly to the subsoil, thereby forming a stable micro relief parallel to the slope and thus reducing erosion. Due to the good interlocking, the LITE-**NET** requires little fastening. In addition, the net shape is storm-proof, unlike full-surface mats. On steeper slopes, the water storage nets can be easily secured with standard ground hooks.

Also due to the meander effect, the water storage capacity is additionally increased compared to full-surface mats, since water cannot run off in a fall line. Plant growth is promoted by direct light penetration and additional plants can be easily inserted in the net gaps.

INSTALLATION RECOMMENDATION







LITE-NET


BLUELITE-NET

LITE-STRIPS


For long-term slope greening, the permanent LITE-**NET** variants **Bio5** or **PP** are laid at root depth (approx. 10-15 cm for grass). Due to the improved plant growth and because the roots grow through the net openings and anchor themselves to the net, large-scale surface stabilization is created. Water is evenly distributed in the net and stored close to the roots.

For subsurface slope irrigation, nonwoven protected drip irrigation tubes (**BLUE**LITE-**TUBE**) are laid directly onto the LITE-**NET** laid at the root depth across the direction of fall. With the **BLUE**LITE-**NET** combination, slopes are irrigated effectively, economically, without vandalism, permanently and without evaporation. The open net form does not create a sliding plane, on the contrary, the stability of the slope is supported.

In order to quickly get water running off the slope surface into the subsoil, additional LITE-**STRIPS** can be mixed into the soil. These make the soil more permeable to air, store water directly at the roots and stabilise the topsoil cover like tensile inserts.







LITE -NET			thicknes mm
LITE- NET Standard	57 m²	3,5 x 16,3 m	6/8
Roll C20 (meshes Ø 13 cm)	85 m²	5,2 x 16,3 m	6/8

BLUELITE-COVER WITH/WITHOUT TUBE

2

BLUELITE-COVER (PP) 25 m

BLUELITE-TUBE 100 m



Size LITE- STRIPS	70 x 12 x 6 mm
Order sizes	BOX 250 I BOX 5 x 50 I
	BIG BAG 1 m ³

GREEN ROOFSExtra light water storage

LITE-STRIPS

LITE-NET

BLUELITE-**NET**

For green roofs, one important feature of all LITE-**SOIL** products comes into its own: their very low weight.

Since our water storage nonwovens in strip and net form consist of approx. 90% open and interconnected air pores, they can absorb about 8 times as much water per kg as conventional products (e.g. porous clay pellets).

Depending on the thickness, approx. 1-2 l/m² mixed into the substrate, LITE-**STRIPS PP** absorb water from the surface into the substrate and function permanently as additional water storage at root depth as well as a soil loosener.

By additionally laying a LITE-**NET** as rooting water storage at root depth, underground irrigation including aeration can be carried out very easily. The water is distributed over a large area in the net and directed exactly where it is needed. Thanks to the open and flexible shape of the net, roots can dock onto the nonwoven net all around and thus extract 100% of the water stored in the net (up to 10 l/m² depending on the variant) if required.

In addition to anchoring the roots of the individual plants, the LITE-**NET** can also be fixed to the subsoil, thereby preventing the so-called detachment of extensive greenery or the slipping of sloping roof greenery. In addition, with the cost-effective **BLUE**LITE-**NET** system, evaporation-free underground irrigation is possible at any time and continuously, even if the roof terrace is being used.

If the plant substrate is hydraulically pumped, the smaller LITE-**CUBES PP** can be premixed as an additional water reservoir.



 Size LITE-STRIPS
 70 x 12 x 6 mm

 BOX 250 I
 Order sizes

 BOX 5 x 50 I
 BIG BAG 1 m³



BLUELITE-COVER WITH/WITHOUT TUBE BLUELITE-COVER 25 m

BLUELITE-TUBE

100 m

	LITE-NET PP		thickness mm
	28 m²	1,75 x 16,3 m	6
Roll C20	57 m²	3,5 x 16,3 m	6/8
	85 m²	5,2 x 16,3 m	6/8
Vegetation net in different variants			





BLUELITE-NET

By installing our cost-effective **BLUE**LITE-**NET** irrigation system underground (see page 7), there is no evaporation loss, UV damage, surface felting, damage caused by bites or vandalism. Due to the targeted supply close to the roots, not only water but also fertilizer can be saved.

The drip irrigation pipes, which can be laid at any depth, are protected against roots growing inside and clogging by soil fines by means of a robust nonwoven covering. In addition, the water is evenly distributed in the nonwoven and the water/soil contact area is increased a thousandfold. The flexible **BLUE**LITE-**TUBE** is used for curved laying, and our cost-effective **BLUE**LITE-**AGRI** for straight laying. The tubes can also be installed subsequently, e.g. by means of slot drains.



BLUELITE-**AGRI** for existing orchards

LITE-NET + LITE-STRIPS

For large-scale irrigation, the nonwoven protected irrigation pipe is combined with an easy-to-assemble LITE-NET PP distribution non-woven.

In addition, the water-storing and substrate-improving LITE-**STRIPS** or vegetation nets for trees can also be used.



BLUELITE-**NET** for new plantings









Size LITE- STRIPS	70 x 12 x 6 mm
Order sizes	BOX 250 I BOX 5 x 50 I BIG BAG 1 m ³

BLUELITE-NET	
BLUELITE-COVER	25 m
BLUELITE-TUBE	100 m
BLUELITE-AGRI	100 m
BLUELITE-RING	10 pcs. Ø 50 cm

	LITE- NET							
	28 m²	1,75 x 16,3 m	6					
Roll C20	57 m²	3,5 x 16,3 m	6/8					
	85 m²	5,2 x 16,3 m	6/8					
Vegetati	Vegetation net in different variants							







LITE-NET + LITE-STRIPS

For raised planting beds and trough planters, about 5-10% by volume of the extremely water retentive LITE-**STRIPS** is mixed into the soil. This improves the mixture and makes it more permeable. The water stored in the approx. 7 cm long non-woven STRIPS is 100% available to the roots when needed and watering intervals are increased. LITE-**STRIPS** can also not be overwatered, they are ideal for peat-free soil. 1 kg of LITE-**STRIPS** store up to 10 l of water.


The cost-effective LITE-**STRIPS** are available in 3 different materials. There is a durable and often reusable **PP** version, a **Bio5** after about 5-10 years and a **Bio1** 100% biodegradable/compostable version after about one year.

Prefabricated LITE-**NET** nonwoven nets can also be installed for better water and air distribution. The thick nonwoven nets consist of approx. 90% air pores and can store water very well and use their capillary action.









APPLICATIONS

SPECIAL APPLICATIONS

- aerification
- cultivation pots
- site protection
- tree nurseries
- tree root aeration
- landfills
- railroad embankments
- drainage
- erosion control
- driveways and sidewalks

- cemetery planting
- surface drainage
- filter basins
- lawns and turf
- side roads
- parking areas
- constructed wetlands
- plantations
- grass pavers
- riding arenas

- spray greening
- ski slopes
- dams
- road salt protection
- bank protection
- vegetation and supporting layer
- event sites
- infiltration basins
- viticulture
- desert greening

















PRODUCT RECOMMENDATIONS

	TREES			SLOPES			ATHLETIC FIELDS & LAWNS		FRUIT & VITI- CULTURE		GREEN ROOFS		RAISED PLANTING BEDS & TROUGH PLANTERS				
	GROWING	Long-term	Irrigation	Large tree- transplantation	GROWING	Long-term	Irrigation	GROWING	Long-term	Irrigation	Long-term	IRRIGATION	Long-term	Irrigation	1 YEAR	Long-term	Irrigation
LITE-STRIPS																	
B101					•			•									
Вю5	•	•	•		•	•		•	•		•						
PP		•	•			•	•									•	
LITE- NET TREE																	
B 101	•			•											•		
B105	•	•	•	•							•					•	•
PP		•	•	•							•					•	•
LITE-NET C14																	
Вю1					•										•		
Вю5					•	•			•							•	
LITE-NET C20																	
Вю1	•			•											•		
Вю5																•	
PP		•	•	•		•	•		•	•	•	•	•	•			
BLUELITE-NET																	
COVER			•				•			•		•		•			
TUBE			•				•			•		•		•			•
RING			•									•					•
AGRI			•									•					

TECHNICAL CHARACTERISTICS


Our products are made of long-time proven nonwovens, which are optimized for any type of soil. Up to 90% of the volume consists of interconnected air pores, which can store water and redistribute it by capillary action. All the water is thus immediately available to plants. All our products are available in 3 different materials:

		weight	thickness
BIO1	WOOD FIBER (100% cellulose fibers)	330 g/m ²	4 mm
	100% biodegradable after about 1-2 years.	600 g/m ²	6 mm
BIO5	PLA (70% PLA + 30% cellulose fibers) 100% biodegradable/compostable after approx. 5-10 years	500 g/m²	6 mm
PP	PP (100% polypropylene fibers)	600 g/m ²	6 mm
	durable, reusable and sustainable	900 g/m ²	8 mm

Standard products overview		В	io1	Bio5	PP			
•			6mm	6mm	4mm	6mm	8mm	
LITE-STRIPS *								
70 x 12 mm	1 m³ BB		х	Х		Х		
70 x 12 mm	5 x 50 l Box		Х	Х		Х		
70 x 12 mm	250 l Box		Х	Х		Х		
LITE-CUBES				,				
12 x 12 mm	1 m³ BB		х	х		Х		
12 x 12 mm	250 l Box		х	х		Х		
LITE-NET								
LITE-NET Tree								
L: 1,5 x 0,8 m	90 pcs. Box		х	х		Х		
XL: 1,75 x 1,6 m	45 pcs. Box		х	Х		Х		
LITE-NET Slope (Roll	LITE-NET Slope (Roll C14 = meshes Ø 9 cm)			,				
350: 3,5 x 14,3 m	50 m ²	х	х	х				
520: 5,2 x 14,3 m	75 m ²	Х	х	Х				
LITE-NET Standard (Roll C20 = meshes Ø 13 cm)			,				
175: 1,75 x 16,3 m	28 m²		х	Х		Х		
350: 3,5 x 16,3 m	57 m²			Х		Х	Х	
520: 5,2 x 16,3 m	85 m²			х		Х	Х	
BLUELITE-NET								
BlueLite-Cover	25 m				х			
BlueLite-Tube	100 m				х			
BlueLite-Agri	100 m				Х			
BlueLite-Ring	10 pcs. Ø 50 cm				X			
LITE- Rootprotect				,				
Root bandage	8 pcs. 0,1 x 8 m	х						
Root curtain M	0,8 x 20 m	Х						
Root curtain L	1,2 x 20 m	х						

^{*} LITE-STRIPS kg/m 3 : Bio1 = 50 kg | Bio5 = 45 kg | PP = 50 kg

Distributed by:





Awards



1st prize in the category environment Young **Entrepreneurs 2020 (AT)**



Award for pioneering innovation- iLab 2020



TÜV Science Award in the category Business Audience Award 2019 (AT)



Environmental Award City of Vienna nominated 2019 (AT)



Austrian Patent award nominated 2018 (AT)



1st prize Flormart 2018 (IT)





AGRI-WATER Challenge Cape Town 2018 - Finalist (ZA)



City of Vienna - New **Building Climate Protection** Award 2018 (AT)



1st prize Myplant 2018 (IT)



Silver Medal demopark 2017 (DE)



LITE-SOIL GmbH

Neustiftgasse 94/23, 1070 Vienna, Austria T +43 1 5227310 • E office@lite-soil.com • W www.lite-soil.com/en

Registered at the Commercial Court of Vienna under: FN 441243m Vienna Chamber of Commerce - UID number: ATU 70014325 LITE-SOIL®

find us on the social media channels:







